

Plot No: 134, 135 & 136, Industrial Estate Phase V, Hayatabad, Peshawar, Khyber Pakhtunkhwa, Pakistan 6091-5891513, 091-5891516, Fax, 091-5891511

www.kpitb.gov.pk info@kpitb.gov.pk fykpitbgov

Khyber Pakhtunkhwa Information Technology Board (KPITB) Plot # 134-136, Industrial Estate, Hayat Abad Peshawar, KP

To: [Name and Address of Bidder]

Procurement Reference: PK-KPITB-123576-GO-RFQ Date: 12/10/2020

Dear Sir.

PROJECT: DIGITAL JOBS IN KHYBER PAKHTUNKHWA

REQUEST FOR QUOTATIONS FOR [220KVA STANDBY AND 200KVA PRIME RATED

The Khyber Pakhtunkhwa Information Technology Board (KPITB) invites your quotation for the items described above.

The KPITB has received a grant from the MDTF administered by the World Bank, intends to apply the proceeds of this grant to eligible payments under the contract for which this Request for Quotations is issued. This procurement process will be conducted in accordance with the shopping procurement method contained in the World Bank Guidelines July 2016 and the procedures described herein.

- 1. Preparation of Quotations: You are requested to quote for these items by completing, signing and returning:
 - the List of Goods and Price Schedule;
 - the documents confirming your eligibility, as listed below;

The standard forms in this RFQ may be retyped for completion but the Bidder is responsible for their accurate reproduction.

- **2.** Validity of Quotations: The quotation validity required is 90 days.
- 3. Sealing and marking of Quotations: Quotations should be placed in a single sealed envelope, clearly marked with the Reference above, the name of the Bidder and the Implementing Agency.
- 4. Submission of Quotations: Quotations should be submitted to the address below by mail, by the date and time of the deadline below.

Date of deadline: 19/10/2020. Time of deadline: 02:30PM. Time of Opening: 03:00PM.


Address: Plot # 134-136, Industrial Estate, Hayat Abad, Peshawar

Facsimile: 091-9217486. Email: irfan.sstd@gmail.com

- 5. Eligibility Criteria: You are required to meet the following criteria to be eligible:
 - a). Supplier shall be registered with FBR and shall be an active tax payer
 - The supplier shall be an authorized partner/dealer/distributer/reseller b).
 - Have completed atleast 3 projects of similar nature and amount c).
 - d). Have office in Peshawar for after sales services
 - Suppliers who previously failed to delivered goods/services within the given time or e). incomplete are not eligible to apply;
 - Have the legal capacity to enter into a contract; f).
 - Not be insolvent, in receivership, bankrupt or being wound up or subject to legal proceedings g). for any of these circumstances;
 - Not have had your business activities suspended or debarred from public procurement by the h). Office of Government Public Contracts Policy;
 - i). Be eligible, as defined below;
- 6. Documents Evidencing Eligibility: You are requested to submit copies of the following documents as evidence of your eligibility.
 - Valid trading licence or equivalent; a).
 - b). c). Valid certificate of registration or equivalent;
 - Valid registration certificate with FBR and proof of active tax payer
 - d). Affidavit of non-blacklisting/non-bankrupt
 - e). Proof of 03 similar projects completed (POs/contracts)
 - f). Detail description/broachers of the product offered

Request for Quotation Page 1





Plot No: 134, 135 & 136, Industrial Estate Phase V, Hayatabad, Peshawar, Khyber Pakhtunkhwa, Pakistan 📞 091- 5891513, 091-5891516, Fax, 091- 5891511

www.kpitb.gov.pk info@kpitb.gov.pk fyitbgov

- **7. Origin of Goods:** All Goods and related services shall have as their country of origin an eligible country.
- **8. Technical Criteria:** The Specification details the minimum specification of the Goods required. The Goods offered must meet this specification.
- **9.** Currency: Quotations must be priced in Pakistani rupees.
- **10. Best Evaluated Bid:** The best evaluated bid shall be the lowest priced quotation, which is eligible and technically compliant.
- **11. Delivery:** Prices should be quoted CIP (As mentioned above) for imported goods and ex factory for domestically supplied goods [or DDU (named point)] according to INCOTERMS 2000.
- **12. Duties and Taxes:** The quoted price shall be inclusive of all Government applicable duties and taxes.
- **13. Delivery Schedule:** Delivery required should be 03 weeks from date of Purchase Order.
- **14.** Warranty: Shall be twelve months from the date of delivery.
- 15. Terms of Payment:

Payment shall be made within 30 days against submission of your Invoice and supporting documents following delivery of the Goods.

16. Eligible Countries: Pakistan only

Any resulting contract awarded shall be by placement of a Purchase Order.

Any queries should be addressed to the Project Management Team at the address given above. Please prepare and submit your quotation or inform the undersigned if you will not be submitting a quotation.

Yours sincerely,
Procurement Specialist

Request for Quotation Page 2

STATEMENT OF REQUIREMENTS List of Goods and Price Schedule

Procurement Reference: <u>PK-KPITB-123576-GO-RFQ</u>

We offer to supply the items listed below	in accordance with the terms and conditions stated in your
Request for Quotations referenced above.	
We confirm that we are eligible to partic	ipate in public procurement and meet the eligibility criteria
specified in the Request for Quotations.	
The validity period of our quotation is:	days/weeks/months.
We confirm that the prices quoted in the	List of Goods and Price Schedule are fixed and firm for the
duration of the validity period and will not	be subject to revision or variation.
The delivery period offered is:	days/weeks/months from date of Purchase Order.
The warranty period offered is	months.
Currency of Quotation:	

GENERATOR: Rating: 220KVA Standby and 200KVA Prime rated generator Voltage: 400/230 Volts. RPM: 1500 Frequency: 50 Hz. 0.8 Power Factor 6 Cylinder Engine Water Cooled Mechanical/ Electronic Governor 8 hours base fuel tank capacity Engine coupled to single bearing Brushless Alternator. P23 Protection or High Digital Control Panel with the following features: Start Stop. Emergency Stop. Measurement such as Voltmeter. Ammeter. Frequency, Oil Pressure, 24 volt starting Battery, 120cKW, Power Factor @0.8pf, etc. Alarms. 1. Gensets should be Caterpillar (USA), Cummins (UK) or equivalent. The following components Gensets, alternator and control panel should be from the same manufacturer and same brand i.e. Caterpillar (USA), Cummins (UK). 2. Weather proof sound attenuated Canopy of 80-95dBA @ 1 meter subject to clearance of 5-8 meters from all sides of high quality 3. Automatic Transformer Switch (ATS) with Manual Override for switching between prime source of power (city power) and generator set. The ATS must have static battery charger, necessary protections and metering system. 4. RCC type concrete Foundation Pad, with standard steel mesh. Foundation pad must be 1 foot high from the ground level, and at least 1 foot larger in size on all sides from the size of generator set base. 5. Earthing/Grounding, one for neutral and one for body with resistance of less than one ohm. 6. Power Cable and Control Cable of appropriate size (Fast or Pakistan Cable or equivalent) 7. One-year Warranty 8. Transportation, unloading at site, Installation, Testing and Commissioning. Variable Cost of Cable, duct etc. as per actual	Item No	Description of Coods	Quantity	Unit of	Country of	Unit Price	Total Price
Rating: 220KVA Standby and 200KVA Prime rated generator Voltage: 400/230 Volts. RPM: 1500 Frequency: 50 Hz. 0.8 Power Factor 6 Cylinder Engine Water Cooled Mechanical/ Electronic Governor 8 hours base fuel tank capacity Engine coupled to single bearing Brushless Alternator. IP23 Protection or High Digital Control Panel with the following features: Start Stop, Emergency Stop, Measurement such as Voltmeter, Ammeter, Frequency, Oil Pressure, 24 volt starting Battery, 120eKW, Power Factor @0.8pf. etc. Alarms. 1. Gensets should be Caterpillar (USA), Cummins (UK) or equivalent. The following components Gensets, alternator and control panel should be from the same manufacturer and same brand i.e. Caterpillar (USA), Cummins (UK) 2. Weather proof sound attenuated Canopy of 80-95dBA @ 1 meter subject to clearance of 5-8 meters from all sides of high quality 3. Automatic Transformer Switch (ATS) with Manual Override for switching between prime source of power (city power) and generator set. The ATS must have static battery charger, necessary protections and metering system. 4. RCC type concrete Foundation Pad, with standard steel mesh. Foundation pad must be 1 foot high from the ground level, and at least 1 foot larger in size on all sides from the size of generator set base. 5. Earthing/Grounding, one for neutral and one for body with resistance of less than one ohm. 6. Power Cable and Control Cable of appropriate size (Fast or Pakistan Cable or equivalent) 7. One-year Warranty 8. Transportation, unloading at site, Installation, Testing and Commissioning. 2. Variable Cost of Cable, duct etc. as per actual	Item No	Description of Goods	Quantity	Measure	Origin	[Incl. Taxes]	[Incl. Taxes]
		Rating: 220KVA Standby and 200KVA Prime rated generator Voltage: 400/230 Volts. RPM: 1500 Frequency: 50 Hz. 0.8 Power Factor 6 Cylinder Engine Water Cooled Mechanical/ Electronic Governor 8 hours base fuel tank capacity Engine coupled to single bearing Brushless Alternator. IP23 Protection or High Digital Control Panel with the following features: Start Stop, Emergency Stop, Measurement such as Voltmeter, Ammeter, Frequency, Oil Pressure, 24 volt starting Battery, 120eKW, Power Factor @0.8pf, etc. Alarms. 1. Gensets should be Caterpillar (USA), Cummins (UK) or equivalent. The following components Gensets, alternator and control panel should be from the same manufacturer and same brand i.e. Caterpillar (USA), Cummins (UK). 2. Weather proof sound attenuated Canopy of 80-95dBA @ 1 meter subject to clearance of 5-8 meters from all sides of high quality 3. Automatic Transformer Switch (ATS) with Manual Override for switching between prime source of power (city power) and generator set. The ATS must have static battery charger, necessary protections and metering system. 4. RCC type concrete Foundation Pad, with standard steel mesh. Foundation pad must be 1 foot high from the ground level, and at least 1 foot larger in size on all sides from the size of generator set base. 5. Earthing/Grounding, one for neutral and one for body with resistance of less than one ohm. 6. Power Cable and Control Cable of appropriate size (Fast or Pakistan Cable or equivalent) 7. One-year Warranty 8. Transportation, unloading at site, Installation, Testing and Commissioning.	01	No.			
Dubtour						onal costs	
Total							

Request for Quotation Page 3

Prices quoted are: Inclusive of Taxes, Trans	nsportation and Inst	tallation charges
Quotation authorised by:		
Signature:	Name:	
Position:	Date:	
Authorised for and on behalf of:		(dd/mm/yy)
Company:		

Request for Quotation Page 4